

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RECORD MANAGEMENT								
ConsumerID	N/A	Consumer ID	text	11	Always applies.		* Only alphanumeric characters are valid, the only exceptions are a hyphen (-) or an underscore (_). * First character must be an alphanumeric character.	
GrantID	N/A	Grant ID (Grant/Contract/Cooperative Agreement)	text	20	Always applies.		* Must already be in the TRAC system, and user must be authorized to access it.	
SiteID	N/A	Site ID	text	10	Always applies.		* Must already be in the TRAC system under the provided GrantID, and user must be authorized to access it.	
InterviewType_07	N/A	Interview Type	integer	N/A	Retained for Data Download purposes, but no longer applies. Replaced by "Assessment".	1 = Baseline 2 = 3 Month Reassessment (RETAINED BUT NO LONGER ALLOWED) 3 = 6 Month Reassessment 4=Clinical Discharge		* If previous InterviewType=4 (clinical discharge) then subsequent InterviewType must = 1 (baseline). * Do not allow InterviewType=2 (3 Month Reassessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=2 (3 Month Reassessment), if an InterviewType=2 has already been entered in same reassessment window or ReassessmentStatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=2 (3 Month Reassessment) for the same episode after a Discharge has already been entered. * Do not allow InterviewType=3 (6 Month Reassessment) for the same episode unless a baseline has been entered. * Do not allow InterviewType=3 (6 Month Reassessment), if an InterviewType=3 has already been entered in same reassessment window or ReassessmentStatus=31 (no contact within 90 days of last service). * Do not allow InterviewType=3 (6 Month Reassessment) for the same episode after a Discharge has already been entered. * Do not allow InterviewType=4 (Discharge) for the same episode unless a baseline has been entered.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Assessment	1	Indicate Assessment Type:	text	4	Always applies.	0600 = Baseline Assessment 0601 = 6-Month Reassessment 0602 = 12-Month Reassessment 0603 = 18-Month Reassessment 0604 = 24-Month Reassessment 0605 = 30-Month Reassessment 0606 = 36-Month Reassessment 0607 = 42-Month Reassessment 0608 = 48-Month Reassessment 0609 = 54-Month Reassessment 0610 = 60-Month Reassessment 0611 = 66-Month Reassessment 0699 = Clinical Discharge -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If previous assessment was a clinical discharge (Assessment = 0699), then the subsequent assessment must be a baseline assessment (Assessment = 0600), in which case, a new episode of care has occurred. * New assessments must be greater than all other assessments currently saved for the same episode of care. *If InterviewDate occurs between two reassessment windows (Assessment = 0601 to 0611) then the user must select the appropriate Assessment Number from the two window's in question, otherwise the system will select the appropriate window based on InterviewDate. * Do not allow a reassessment (Assessment = 0601 to 0611) for the same episode if a reassessment has already been entered in same reassessment window or no contact within 90 days of last service (NoContact90Days = 0) has been previously entered. * Do not allow InterviewType=4 (Discharge) for the same episode unless a baseline has been entered. * Do not allow InterviewType=4 (Discharge) if another Discharge has been previously saved for the same episode. Applies only where formerly ReassessmentNumber = (0301, 0303, 0305, 0307, 0309, 0311, 0313, 0315, 0317, 0319, 0321, 0323) and InterviewType = 2.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
ConductedInterview	2	Was the interview conducted?	integer	N/A	Always applies.	0 = No 1 = Yes	<p>*Admin Baseline Assessment(Assessment = 0600; ConductedInterview = 0): * Only Section A - Demographic Data is required. *Admin Reassessment (Assessment = 0601 to 0611; ConductedInterview = 0): *Only Sections H (if applicable), I & K are required.</p> <p>* Admin Discharge (Assessment = 0699; ConductedInterview = 0): *Only Sections H (if applicable), Sections J & K are required.</p> <p>* Baseline Interview (Assessment = 0600; ConductedInterview = 1): Section A through E and G are required for all cases.</p> <p>* Reassessment Interview (Assessment = 0601 to 0611; ConductedInterview = 1): The Record Management portion of Section A, The functioning portion of sections B, Violence and Trauma portion Q9 only, Section C through G, and Sections I & K are required for all cases.</p> <p>* Discharge Interview (Assessment = 0699; ConductedInterview = 1): The Record Management portion of Section A, The functioning portion of sections B, Violence and Trauma portion Q9 only, Section C through G, and Sections J & K are required for all cases.</p>	* If this is an Admin Reassessment, then the day it was first saved into TRAC (CreateDate) must be >= first day of its reassessment window and < the first day of its next reassessment window.
WhyNotConducted	2	Why not? Choose only one.	integer	1	* Only applicable if an interview was not conducted (ConductedInterview = 0).	<p>1 = Not able to obtain consent from proxy 2 = Consumer was impaired or unable to provide consent 3 = Consumer refused this interview only 4 = Consumer was not reached for interview 5 = Consumer refused all interviews -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL</p>	<p>* Only applicable if an interview was not conducted (ConductedInterview = 0). Else, code this as -1.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
WhyNotConducted_10	N/A	Why was the interview not conducted?	integer	N/A	Retained for Data Download purposes, but no longer applies.	<p>1 = Consumer refused interview 2 = Not able to obtain consent from proxy 3 = Consumer was impaired/unable to provide consent 4 = Consumer cannot be reached for interview 5 = Staff previously indicated "Administrative data only" or "No data" would be submitted</p> <p>-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL</p>	<p>* Only applicable if an interview was not conducted (ConductedInterview = 0). Else, code this as -1.</p> <p>* Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699).</p> <p>* Applicable only to a reassessment or a clinical discharge (Assessment = 0601 to 0699). * This code cannot be selected by the user. It is preselected based on a prior interview selection from the user (see crosscheck for details).</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	<p>* Must be entered for each reassessment due for the consumer before the start of the next reassessment interview window.</p> <p>* If this is a reassessment or clinical discharge (Assessment = 0601 to 0699) and a previous interview had Administrative data only [Record Management, Sections I or J, & K] – will not attempt any subsequent interviews (NextReassessment = 2), then the system will pre-fill that an interview was not conducted (ConductedInterview = 0) and Staff previously indicated "Administrative data only" or "No Data" would be submitted (WhyNotConducted = 5).</p> <p>* If a clinical discharge (Assessment = 0699) and a previous interview indicated No data - will only provide discharge status [Record Management & Section J] when the consumer is discharged (NextReassessment = 3), then the system will pre-fill that an interview was not conducted (ConductedInterview = 0) and that Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5).</p>

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
NextReassessment_10	N/A	What data will be submitted for the <u>next</u> reassessment?	integer	N/A	Retained for Data Download purposes, but no longer applies.	<p>1 = Interview data 2 = Administrative data only - [Record Management, Sections I or J & K] – will not attempt any subsequent interviews.</p> <p>3 = No data – will only provide discharge status [Record Management & Section J] when discharged.</p> <p>-1 = N/A -4 = N/A - archived field -5 = NOT ASKED ON PREVIOUS NOMS TOOL</p>	<p>* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	<p>* If Administrative data only [Record Management and Sections I or J & K] – will not attempt any subsequent interviews (NextReassessment = 2), then: -- All future reassessment records will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and NextReassessment = 2. Only the Record Management and Sections I and K will be submitted. -- Clinical discharge record will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and NextReassessment = -1. Only the Record Management and Sections J and K will be submitted.</p> <p>* If No data - will only provide discharge status [Record Management and Section J] when the consumer is discharged (NextReassessment = 3), then: -- Future reassessment records will not be permitted. -- Clinical Discharge record will be pre-filled so that an interview was not conducted (ConductedInterview = 0), Staff previously indicated "Administrative data only" or "No data" would be submitted (WhyNotConducted = 5), and NextReassessment = -1. Only the Record Management and Section J will be submitted. --No Services data will allowed in Section K - Services Received If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharge). * Coded only for questions not asked on previous versions of the TRAC NOMs tools.</p>

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
SubmittedAtClinicalDischarge_10	N/A	[CLINICAL DISCHARGE ONLY] What data will be submitted for this Clinical Discharge?	integer	N/A	Retained for Data Download purposes, but no longer applies.	<p>1 = Administrative data only - [Record Management and Sections J & K]</p> <p>2 = No data – will only provide discharge status [Record Management & Section J]</p> <p>-1 = N/A</p> <p>-4 = N/A - archived field</p> <p>-5 = NOT ASKED ON PREVIOUS NOMS TOOL</p>	<p>* Applicable only if an interview was not conducted (ConductedInterview = 0) at Clinical Discharge (Assessment = 0699) and Consumer refused interview, Not able to obtain consent from proxy, Consumer was impaired/unable to provide consent or Consumer cannot be reached for interview (WhyNotConducted = 1, 2, 3 or 4)..</p> <p>* If ConductedInterview = 1 (Yes) or Assessment = 0600 - 0611 then set SubmittedAtClinicalDischarge = -1.</p> <p>* Only the Record Management and Sections J and K will be submitted for this Clinical Discharge record.</p> <p>* Only the Record Management and Section J will be submitted for this Clinical Discharge record.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	If ConductedInterview = 1 (Yes) or Assessment = 0699 (Clinical Discharge).
InterviewDate	3	When?	date	10	Applies only when an interview was conducted (ConductedInterview = 1).	Collected as MM/DD/YYYY date format. Date entered will be converted to datetime format	<p>* Valid interview date must be >= grant's goal start date.</p> <p>* The interview date must be <= current date.</p> <p>* The interview date must be < grant's inactivate date</p>	* The assessment's interview date must be > previous conducted or attempted assessment's interview date .
FirstReceivedServicesDate	4	[Enter the month and year when the consumer first received services under the grant for this episode of care.]	text	7	Applies only at baseline (Assessment = 600)	<p>Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th.</p> <p>For MM: 01 - 12 = Jan - Dec</p> <p>01/01/1869 = N/A</p> <p>05/01/1869 = NOT ASKED ON PREVIOUS NOMS TOOL</p>	<p>* Valid only for baselines (Assessment = 0600)</p> <p>* FirstReceivedServicesDate must be >= MM/YYYY of grant's Start Date</p> <p>* FirstReceivedServicesDate must be <= MM/YYYY of InterviewDate</p> <p>* Year portion must be in 4 digit format.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p> <p>* This N/A code is not valid for data entry. It is for Data Download purposes only.</p>	For a reassessment or discharge (Assessment = 0601 to 0699), this date is not applicable (FirstReceivedServicesDate = 01/01/1869). For records collected with the previous version of the NOMs Tool.
FFY	System Derived	Federal Fiscal Year (Calculated field based on InterviewDate)	integer	N/A	Always applies.	2002 - Current Year + 1	<p>* This field does not apply to data entry. For Data Download and Administrative purposes only.</p> <p>* If current month is between October and December, FFY is set to the next calendar year (i.e. Current Year + 1). Otherwise FFY is set to the current calendar year.</p> <p>* For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate.</p> <p>* For All Reassessment records (Assessment = 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date.</p> <p>* For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J</p>	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Quarter	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	1 = October - December 2 = January - March 3 = April - June 4 = July - September	* This field does not apply to data entry. For Data Download and Administrative purposes only. * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment equals 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
Month	System Derived	(Calculated field based on InterviewDate)	integer	N/A	Always applies.	Month as digit (01 - 12)	* This field does not apply to data entry. For Data Download and Administrative purposes only. * For All Baseline Assessment records (Assessment = 0600), set based on InterviewDate. * For All Reassessment records (Assessment equals 0601 to 0611), set based on Reassessment Due Date, calculated as 180 intervals from Baseline Interview Date. * For All Clinical Discharge records (Assessment = 0699), set based on MM and YYYY of Discharge Date in Section J	
RecordStatus	System Derived	Record Status	integer	N/A	Always applies.	0 = Active 1 = Inactive	* This field does not apply to data entry. For Data Download and Administrative purposes only. * An Interview is marked Active when submitted * If a new baseline is entered (Assessment = 0600), then the previous baseline (and its associated assessments) are set to inactive (RecordStatus = 1). * If the latest baseline (and its associated assessments) is deleted, the system will set the previous baseline (and its associated assessments). to active (RecordStatus = 0) * System will not allow add/edit of any baseline (and its associated assessments) which are inactive (RecordStatus = 1).	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
A. DEMOGRAPHIC DATA								
Gender	A_D1	What is your gender?	integer	N/A	Applies only at baseline (Assessment = 0600).	1 = MALE 2 = FEMALE 3 = TRANSGENDER 4 = OTHER (SPECIFY) -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
GenderSpec	A_D1	Other specify gender	text	50	Applies only at baseline (Assessment = 0600).	-1 = N/A	* Only asked when Gender = 4 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
HispanicLatino	A_D2	Are you Hispanic or Latino?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicCentralAmerican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicCuban	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicDominican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicMexican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicPuertoRican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
EthnicSouthAmerican	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOther	A_D2	What ethnic group do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* Only asked when HispanicLatino = 1; otherwise set to -1. * If HispanicLatino = 1, at least one ethnic subgroup must be chosen or all ethnic subgroups must = refused. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EthnicOtherSpec	A_D2	Other specify ethnic group response	text	50	Applies only at baseline (Assessment = 0600).	-1 = N/A	* Only asked when EthnicOther = 1; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceBlack	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceAsian	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceNativeHawaiian	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceAlaskaNative	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceWhite	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RaceAmericanIndian	A_D3	What race do you consider yourself?	integer	N/A	Applies only at baseline (Assessment = 0600).	0 = NO 1 = YES -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
DOB	A_D4	What is your month and year of birth?	text	7	Applies only at baseline (Assessment = 0600).	Collected as MM/YYYY text format. Date entered will be converted to datetime format with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec For YYYY: 1900 - (Current year) 07/01/1869 = Refused 09/01/1869 = Missing Data 01/01/1869 = N/A	* Year portion must be in 4 digit format. * Must be at or prior to (InterviewDate - 10 years) * This appears in the Data Download as 07/01/1869 if Refused * This appears in the Data Download as 09/01/1869 if Missing Data * This N/A code is not valid for data entry. It is for Data Download purposes only.	Cannot have a DOB of birthday that indicates they are less than 10 years old.
Agegroup	System Derived	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	2 = Age 10 to 12 years old 3 = Age 13 to 15 years old 4 = Age 16 to 25 years old 5 = Age 26 to 34 years old 6 = Age 35 to 44 years old 7 = Age 45 to 54 years old 8 = Age 55 to 64 years old 9 = Age 65 to 74 years old 10 = Age 75 to 84 years old 11 = Age 85 to 94 years old 12 = Age 95 years or older -1 = N/A -9 = Missing Data	* This field does not apply to data entry. For Data Download and Administrative purposes only. * Calculated field based on Birthmonth, Birthyear and baseline InterviewDate * This N/A code is not valid for data entry. It is for Data Download purposes only.	Cannot have a DOB or birthday that indicates they are less than 10 years old.
Agegroup_10	N/A	(Calculated field based on Age)	integer	N/A	Applies only at baseline (Assessment = 0600).	2 = Age 10 to 12 years old 3 = Age 13 to 17 years old 4 = Age 18 to 24 years old 5 = Age 25 to 34 years old 6 = Age 35 to 44 years old 7 = Age 45 to 54 years old 8 = Age 55 to 64 years old 9 = Age 65 to 74 years old 10 = Age 75 to 84 years old 11 = Age 85 to 94 years old 12 = Age 95 years or older -1 = N/A -9 = Missing Data -4 = N/A - archived field	* This field does not apply to data entry. For Data Download and Administrative purposes only. * Calculated field based on Birthmonth, Birthyear and baseline InterviewDate * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	Cannot have a DOB or birthday that indicates they are less than 10 years old.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
B. FUNCTIONING								
OverallHealth	B1	How would you rate your overall health right now?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Excellent 2 = Very Good 3 = Good 4 = Fair 5 = Poor -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
HandlingDailyLife	B2a	I deal effectively with daily problems.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ControlLife	B2b	I am able to control my life.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
DealWithCrisis	B2c	I am able to deal with crisis.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
GetsAlongWithFamily	B2d	I am getting along with my family.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -6 = NOT APPLICABLE -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SocialSituations	B2e	I do well in social situations.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SchoolOrWork	B2f	I do well in school and/or work.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -6 = NOT APPLICABLE -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
FunctioningHousing	B2g	My housing situation is satisfactory.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Symptoms	B2h	My symptoms are not bothering me.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Nervous	B3a	During the past 30 days, about how often did you feel nervous?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Hopeless	B3b	During the past 30 days, about how often did you feel hopeless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Restless	B3c	During the past 30 days, about how often did you feel restless or fidgety?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Depressed	B3d	During the past 30 days, about how often did you feel so depressed that nothing could cheer you up?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
EverythingEffort	B3e	During the past 30 days, about how often did you feel that everything was an effort?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Worthless	B3f	During the past 30 days, about how often did you feel worthless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	4 = All of the Time 3 = Most of the Time 2 = Some of the Time 1 = A Little of the Time 0 = None of the Time -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Tobacco_Use	B4a	In the past 30 days, how often have you used... tobacco products (cigarettes, chewing tobacco, cigars, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Alcohol_Use	B4b	In the past 30 days, how often have you used... alcoholic beverages (beer, wine, liquor, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Al_Use_5orMore_Male	B4b1	How many times in the past 30 days have you had five or more drinks in a day? Male respondents only.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only valid if Gender = 1 (Male) for current interview and SU_Alcohol >= 2 (Once or Twice). Else, code -1 = N/A. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Al_Use_4orMore_NotMale	B4b2	How many times in the past 30 days have you had four or more drinks in a day? Not male respondents only.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only valid if Gender <> 1 (Male) for current interview and SU_Alcohol >= 2 (Once or Twice). Else, code -1 = N/A. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Cannabis_Use	B4c	In the past 30 days, how often have you used... cannabis (marijuana, pot, grass, hash, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Cocaine_Use	B4d	In the past 30 days, how often have you used... cocaine (coke, crack, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Stimulants_Use	B4e	In the past 30 days, how often have you used... prescription stimulants (Ritalin, Concerta, Dexedrine, Adderall, diet pills, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Meth_Use	B4f	In the past 30 days, how often have you used... methamphetamine (speed, crystal meth, ice, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Inhalants_Use	B4g	In the past 30 days, how often have you used...inhalants (nitrous oxide, glue, gas, paint thinner, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Sedatives_Use	B4h	In the past 30 days, how often have you used... sedatives or sleeping pills (Valium, Serepax, Ativan, Librium, Xanax, Rohypnol, GHB, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Hallucinogens_Use	B4i	In the past 30 days, how often have you used...hallucinogens (LSD, acid, mushrooms, PCP, Special K, ecstasy, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
StreetOpioids_Use	B4j	In the past 30 days, how often have you used...street opioids (heroin, opium, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
RxOpioids_Use	B4k	In the past 30 days, how often have you used...prescription opioids (fentanyl, oxycodone [OxyContin, Percocet], hydrocodone [Vicodin], methadone, buprenorphine, etc.)?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Other_Use	B4l	In the past 30 days, how often have you used... other – specify:	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 2 = Once or Twice 3 = Weekly 4 = Daily or Almost Daily -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Other_UseSpec	B4l	Other Substance Used specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when SU_OTHER = 2, 3, or 4 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
GAFDate	N/A	DATE GAF WAS ADMINISTERED	date time	10	Applies only when an interview was conducted (ConductedInterview = 1).	date entered will be converted to datetime 06/01/1869 = Not provided 01/01/1869 = N/A	* GAFDate is reported by program staff at program's discretion. * Only applicable if Section B is required and user skips GAF fields. * This "Not provided" code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* GAFDate must be <= InterviewDate * If GAFDate < InterviewDate – 6 months then set GAFDate to 06/01/1869 and GAFScore = -1. * Although optional, a valid GAFDate (>= InterviewDate – 6 months) is required if a valid GAFScore was provided.
GAFScore	N/A	WHAT WAS THE CONSUMER'S SCORE? GAF =	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 100 -1 = N/A	* Only asked when ConductedInterview = 1 and GAFDate >= InterviewDate - 6 months; otherwise set to -1. * Set to N/A code if GAFDate = 06/01/1869. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Although optional, a valid GAFScore (between 0 - 100) is required if a proper GAFDate was provided.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
B. MILITARY FAMILY AND DEPLOYMENT								
EverServed	B5	Have you ever served in the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Skip to B.6. (ActiveDuty_Else) * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Skip to B.6. (ActiveDuty_Else) * Skip to B.6. (ActiveDuty_Else) * Skip to B.6. (ActiveDuty_Else)	* Set ES_ArmedForces, ES_Reserves, ES_NationalGuard, ActiveDuty_Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A) * Set ES_ArmedForces, ES_Reserves, ES_NationalGuard, ActiveDuty_Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A) * Set ES_ArmedForces, ES_Reserves, ES_NationalGuard, ActiveDuty_Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A) * Set ES_ArmedForces, ES_Reserves, ES_NationalGuard, ActiveDuty_Self, AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
ES_ArmedForces	B5	[IF YES] In which of the following have you ever served? Armed Forces?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
ES_Reserves	B5	[IF YES] In which of the following have you ever served? Reserves?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
ES_NationalGuard	B5	[IF YES] In which of the following have you ever served? National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
ActiveDuty_Self	B5a	Are you currently serving on active duty in the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Skip to B.5b. (ED_IraqAfghan) * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Skip to B.5b. (ED_IraqAfghan) * Skip to B.5b. (ED_IraqAfghan) * Skip to B.5b. (ED_IraqAfghan)	* Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A) * Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A) * Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A) * Set AD_ArmedForces, AD_Reserves, AD_NationalGuard, EverDeployed, = -1 (N/A)
AD_ArmedForces	B5a	[IF YES] In which of the following are you currently serving? Armed Forces?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_Reserves	B5a	[IF YES] In which of the following are you currently serving? Reserves?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_NationalGuard	B5a	[IF YES] In which of the following are you currently serving? National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
EverDeployed	B5b	Have you ever been deployed to a combat zone?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Skip to B.6. (ActiveDuty_Else) * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Skip to B.6. (ActiveDuty_Else) * Skip to B.6. (ActiveDuty_Else) * Skip to B.6. (ActiveDuty_Else)	* Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A) * Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A) * Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A) * Set ED_IraqAfghan, ED_PersianGulf, ED_VietnamSEAsia, ED_Korea, ED_WWII, ED_Other = -1 (N/A)
ED_IraqAfghan	B5b	[IF YES] To which of the following combat zones have you been deployed? Iraq or Afghanistan (e.g., Operation Enduring Freedom/Operational Iraqi Freedom/Operation New Dawn)?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Only valid if DOB (year portion) <= 1994.
ED_PersianGulf	B5b	[IF YES] To which of the following combat zones have you been deployed? Persian Gulf (Operation Desert Shield or Desert Storm)?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Only valid if DOB (year portion) <= 1984.
ED_VietnamSEAsia	B5b	[IF YES] To which of the following combat zones have you been deployed? Vietnam/Southeast Asia?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Only valid if DOB (year portion) <= 1958.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
ED_Korea	B5b	[IF YES] To which of the following combat zones have you been deployed? Korea?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Only valid if DOB (year portion) <= 1936.
ED_WWII	B5b	[IF YES] To which of the following combat zones have you been deployed? WWII?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Only valid if DOB (year portion) <= 1928.
ED_Other	B5b	[IF YES] To which of the following combat zones have you been deployed? Deployed to a combat zone not listed above (e.g., Somalia, Bosnia, Kosovo)?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
ActiveDuty_Else	B6	Is anyone in your family or someone close to you currently serving on active duty in or retired/separated from the Armed Forces, the Reserves, or the National Guard?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No 1 = Yes, only one person 2 = Yes, more than one person -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Skip to B.7. (ViolenceTrauma) * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Skip to B.7. (ViolenceTrauma) * Skip to B.7. (ViolenceTrauma) * Skip to B.7. (ViolenceTrauma)	* Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A) * Set all fields from B.6.2a (AD_P2Relationship) to B.6.6b (AD_P6Died) = -1 (N/A) * Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A) * Set all fields from B.6.1a (AD_P1Relationship) to B.6.6b (AD_P6Died) = -1 (N/A)

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P1Relationship	B6.1a	For the first person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A) * Set AD_P1Rel_OtherSpec = -1 (N/A)
AD_P1Rel_OtherSpec	B6.1a	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P1Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P1CombatOpr	B6.1b	For the first person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P1Injured	B6.1b	For the first person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P1Stress	B6.1b	For the first person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P1Died	B6.1b	For the first person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P2Relationship	B6.2a	For the second person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A) * Set AD_P2Rel_OtherSpec = -1 (N/A)
AD_P2Rel_OtherSpec	B6.2a	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P2Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P2CombatOpr	B6.2b	For the second person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P2Injured	B6.2b	For the second person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P2Stress	B6.2b	For the second person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P2Died	B6.2b	For the second person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P3Relationship	B6.3a	For the third person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A) * Set AD_P3Rel_OtherSpec = -1 (N/A)
AD_P3Rel_OtherSpec	B6.3a	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P3Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P3CombatOpr	B6.3b	For the third person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P3Injured	B6.3b	For the third person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P3Stress	B6.3b	For the third person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P3Died	B6.3b	For the third person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P4Relationship	B6.4a	For the fourth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A) * Set AD_P4Rel_OtherSpec = -1 (N/A)
AD_P4Rel_OtherSpec	B6.4a	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P4Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P4CombatOpr	B6.4b	For the fourth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P4Injured	B6.4b	For the fourth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P4Stress	B6.4b	For the fourth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P4Died	B6.4b	For the fourth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P5Relationship	B6.5a	For the fifth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A) * Set AD_P5Rel_OtherSpec = -1 (N/A)
AD_P5Rel_OtherSpec	B6.5a	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P5Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P5CombatOpr	B6.5b	For the fifth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P5Injured	B6.5b	For the fifth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P5Stress	B6.5b	For the fifth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P5Died	B6.5b	For the fifth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P6Relationship	B6.6a	For the sixth person: What is the relationship of that person (Service Member) to you?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = MOTHER/FATHER 1 = BROTHER/SISTER 2 = SPOUSE/PARTNER 3 = CHILD 4 = OTHER, SPECIFY -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A) * Set AD_P6Rel_OtherSpec = -1 (N/A)
AD_P6Rel_OtherSpec	B6.6a	OTHER (SPECIFY)	text	50	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when AD_P6Relationship = OTHER, SPECIFY; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Set AD_P6Rel_OtherSpec = -1 (N/A)

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
AD_P6CombatOpr	B6.6b	For the sixth person: Has the Service Member experienced any of the following: Deployed in support of Combat Operations? (e.g. Iraq or Afghanistan)	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P6Injured	B6.6b	For the sixth person: Has the Service Member experienced any of the following: Was physically injured during Combat Operations?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P6Stress	B6.6b	For the sixth person: Has the Service Member experienced any of the following: Developed combat stress symptoms/difficulties adjusting following deployment, including PTSD, depression, or suicidal thoughts?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
AD_P6Died	B6.6b	For the sixth person: Has the Service Member experienced any of the following: Died or was killed?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
B. VIOLENCE AND TRAUMA								
ViolenceTrauma	B7	Have you ever experienced violence or trauma in any setting (including community or school violence; domestic violence; physical, psychological, or sexual maltreatment/assault within or outside of the family; natural disaster; terrorism; neglect; or traumatic grief)?	integer	N/A	*Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = NO 1 = YES -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Skip to B9 (PhysicallyHurt). * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Skip to B9 (PhysicallyHurt). * Skip to B9 (PhysicallyHurt). * Skip to B9 (PhysicallyHurt).	* Set VT_NightmaresThoughts, VT_NotThinkAbouttt, VT_OnGuard, VT_NumbDetached = -1 [N/A] * Set VT_NightmaresThoughts, VT_NotThinkAbouttt, VT_OnGuard, VT_NumbDetached = -1 [N/A] * Set VT_NightmaresThoughts, VT_NotThinkAbouttt, VT_OnGuard, VT_NumbDetached = -1 [N/A] * Set VT_NightmaresThoughts, VT_NotThinkAbouttt, VT_OnGuard, VT_NumbDetached = -1 [N/A]
VT_NightmaresThoughts	B8a	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Have had nightmares about it or thought about it when you did not want to?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
VT_NotThinkAbouttt	B8b	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Tried hard not to think about it or went out of your way to avoid situations that remind you of it?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
VT_OnGuard	B8c	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Were constantly on guard, watchful, or easily startled?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
VT_NumbDetached	B8d	Did any of these experiences feel so frightening, horrible, or upsetting that in the past and/or the present you: Felt numb and detached from others, activities, or your surroundings?	integer	N/A	Applies only at Baseline (Assessment = 0600) with a conducted interview (ConductedInterview = 1).	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
PhysicallyHurt	B9	In the past 30 days, how often have you been hit, kicked, slapped, or otherwise physically hurt?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Never 4 = Once 2 = A few times 3 = More than a few times -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
C. STABILITY IN HOUSING								
NightsHomeless	C1a	In the past 30 days how many ... nights have you been homeless?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	If NightsHomeless >= 16 then set Housing = 3. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
NightsHospitalMHC	C1b	In the past 30 days how many ... nights have you spent in a hospital for mental health care?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	If NightsHospitalMHC >= 16 then set Housing = 10. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
NightsDetox	C1c	In the past 30 days how many ... nights have you spent in a facility for detox/inpatient or residential substance abuse treatment?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	If NightsDetox >= 16 then set Housing = 19. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
NightsJail	C1d	In the past 30 days how many ... nights have you spent in a correctional facility including jail, or prison?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 30 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* If NightsJail >= 16 then set Housing = 11. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	*Total of NightsHomeless + NightsHospitalMHC + NightsDetox + NightsJail cannot be > than 30. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
TimesER	C1e	In the past 30 days how many ... times have you gone to an emergency room for a psychiatric or emotional problem?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 99 -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Housing	C2	In the past 30 days, where have you been living most of the time?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = OWNED OR RENTED HOUSE, APARTMENT, TRAILER, ROOM 2 = SOMEONE ELSE'S HOUSE, APARTMENT, TRAILER, ROOM 3 = HOMELESS (SHELTER, STREET/OUTDOORS, PARK) 4 = GROUP HOME 5 = ADULT FOSTER CARE 6 = TRANSITIONAL LIVING FACILITY 9 = HOSPITAL (MEDICAL) 10 = HOSPITAL (PSYCHIATRIC) 19 = DETOX/INPATIENT OR RESIDENTIAL SUBSTANCE ABUSE TREATMENT FACILITY 11 = CORRECTIONAL FACILITY (JAIL/PRISON) 12 = NURSING HOME 13 = VA HOSPITAL 14 = VETERAN'S HOME 15 = MILITARY BASE 18 = OTHER HOUSED (SPECIFY) -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
OtherHousingSpec	C2	Other Housed specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A	* Only asked when Housing = 18 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
D. EDUCATION AND EMPLOYMENT								
Enrolled	D1	Are you currently enrolled in school or a job training program? If enrolled, is that full time or part time?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = NOT ENROLLED 1 = ENROLLED, FULL TIME 2 = ENROLLED, PART TIME 3 = OTHER (SPECIFY) -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
OtherEnrolledSpec	D1	Other Enrolled specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A	* Only asked when Enrolled = 3 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
Education	D2	What is the highest level of education you have finished, whether or not you received a degree?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	11 = LESS THAN 12TH GRADE 12 = 12TH GRADE /HIGH SCHOOL DIPLOMA/ EQUIVALENT (GED) 13 = VOC/TECH DIPLOMA 14 = SOME COLLEGE OR UNIVERSITY 15 = BACHELOR'S DEGREE (BA, 16 = GRADUATE WORK/GRADUATE DEGREE -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Employment	D3	Are you currently employed?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = EMPLOYED FULL TIME (35+ HOURS PER WEEK, OR WOULD HAVE BEEN) 2 = EMPLOYED PART TIME 3 = UNEMPLOYED, LOOKING FOR WORK 4 = UNEMPLOYED, DISABLED 5 = UNEMPLOYED, VOLUNTEER WORK 6 = UNEMPLOYED, RETIRED 7 = UNEMPLOYED, NOT LOOKING FOR WORK 8 = OTHER (SPECIFY) -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
OtherEmploymentSpec	D3	Other Employment specify	text	50	Applies only when an interview was conducted (ConductedInterview = 1).	-1 = N/A	* Only asked when Employment = 8 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
EmploymentType_07	D3a	[If employed], Is your employment competitive or sheltered?	integer	N/A	Retained for Data Download purposes, but no longer applies. Applies only when an interview was conducted (ConductedInterview = 1).	1 = COMPETITIVE EMPLOYMENT 2 = SHELTERED EMPLOYMENT -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only asked when Employment = 1 or 2; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * Should be displayed in grayed field if EmploymentStatus = 3, 4, 5, 6, 7 or 8.	
Employed_MinWageOrAbove	D3a1	Are you paid at or above the minimum wage?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1). Applies only when an interview was conducted (ConductedInterview = 1).	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only asked when Employment = 1 or 2; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Employed_PaidDirectly	D3a2	Are your wages paid directly to you by your employer?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only asked when Employment = 1 or 2; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Employed_AnyoneApplied	D3a3	Could anyone have applied for this job?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* Only asked when Employment = 1 or 2; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
E. CRIME AND CRIMINAL JUSTICE STATUS								
NumTimesArrested	E1	In the past 30 days, how many times have you been arrested?	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	0 - 99 = number of times -1 = N/A -7 = REFUSED -8 = DON'T KNOW -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
F. PERCEPTION OF CARE								
Recover	F1a	Staff here believe that I can grow, change and recover.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Complain	F1b	I felt free to complain.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Rights	F1c	I was given information about my rights.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
Responsibility	F1d	Staff encouraged me to take responsibility for how I live my life.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
SideEffects	F1e	Staff told me what side effects to watch out for.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -6 = NOT APPLICABLE -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SharingTreatmentInformation	F1f	Staff respected my wishes about who is and who is not to be given information about my treatment.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SensitiveToCulture	F1g	Staff were sensitive to my cultural background (race, religion, language, etc.).	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
InformationNeeded	F1h	Staff helped me obtain the information I needed so that I could take charge of managing my illness.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
ConsumerRunPrograms	F1i	I was encouraged to use consumer run programs (support groups, drop-in centers, crisis phone line, etc.).	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
ComfortableAskingQuestions	F1j	I felt comfortable asking questions about my treatment and medication.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
TreatmentGoals	F1k	I, not staff, decided my treatment goals.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
LikeServices	F1l	I like the services I received here.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Choices	F1m	If I had other choices, I would still get services from this agency.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
RecommendAgency	F1n	I would recommend this agency to a friend or family member.	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
WhoAdministered	F2	[INDICATE WHO ADMINISTERED SECTION F - PERCEPTION OF CARE TO THE RESPONDENT FOR THIS INTERVIEW.]	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	1 = ADMINISTRATIVE STAFF 2 = CARE COORDINATOR 3 = CASE MANAGER 4 = CLINICIAN PROVIDING DIRECT SERVICES 5 = CLINICIAN NOT PROVIDING SERVICES 6 = CONSUMER PEER 7 = DATA COLLECTOR 8 = EVALUATOR 9 = FAMILY ADVOCATE 10 = RESEARCH ASSISTANT STAFF 11 = SELF-ADMINISTERED 12 = OTHER (SPECIFY) -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
WhoAdministered_OtherSpec	F2	OTHER (SPECIFY)	text	50	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and an interview must be conducted (ConductedInterview = 1).	-1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked when WhoAdministered = 12 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
G. SOCIAL CONNECTEDNESS								
Friendships	G1a	I am happy with the friendships I have.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
EnjoyPeople	G1b	I have people with whom I can do enjoyable things.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
BelongInCommunity	G1c	I feel I belong in my community.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	
SupportFromFamily	G1d	In a crisis, I would have the support I need from family or friends.	integer	N/A	Applies only when an interview was conducted (ConductedInterview = 1).	1 = Strongly Disagree 2 = Disagree 3 = Undecided 4 = Agree 5 = Strongly Agree -1 = N/A -7 = REFUSED -9 = MISSING DATA	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
I. REASSESSMENT STATUS								
ReassessmentStatus_07	I1_OLD	What is the Reassessment status of the consumer?	integer	N/A	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	11 = Completed interview within specified window 12 = Completed interview outside specified window 21 = Refused interview 31 = No contact within 90 days of last encounter 32 = Other (Specify) -1 = N/A	* Only asked if reassessment interview date is within correct reassessment window * Only asked if reassessment interview date is outside correct reassessment window * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If ConductedInterview = 1 then ReassessmentStatus cannot = 21, 31. * If ConductedInterview = 0 then ReassessmentStatus cannot = 11 or 12. * If ReassessmentStatus = 31 then this is the last reassessment for this episode of care.
OtherReassessment_07	I1_OLD	Other Reassessment status specify response	text	50	Retained for Data Download purposes, but no longer applies. Applied only at reassessment (Assessment = 0601 to 0611)	-1 = N/A	* Only asked if ReassessmentStatus = 32 ; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	
NoContact90Days	I1	Have you or other grant staff had contact with the consumer within 90 days of last encounter?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No 1 = Yes -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* This N/A code is not valid for data entry. It is for Data Download purposes only. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If the interview was conducted (ConductedInterview = 1), then grant staff cannot select No Contact for 90 days of last encounter (NoContact90days <> 0). * If NoContact90Days = 0 then this is the last reassessment for this episode of care. * Coded only for questions not asked on previous versions of the TRAC NOMs tools.
StillReceivingServices	I2	Is the consumer still receiving services from your project?	integer	N/A	Applies only at reassessment (Assessment = 0601 to 0611)	0 = No 1 = Yes -1 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
J. CLINICAL DISCHARGE STATUS								
DischargeDate	J1	On what date was the consumer discharged? (Month and Year only)	text	7	Applies only at discharge (Assessment = 0699).	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec 01/01/1869 = N/A	* Year portion must be in 4 digit format. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* If ConductedInterview = 1 (yes), DischargeDate (Month and Year) >= current Discharge Interview Date's month and year. However, DischargeDate cannot be greater than 2 calendar months > Discharge Interview Date's month and year. * If ConductedInterview = 0 (no), DischargeDate cannot be greater than 2 calendar months > Create Date's (date record was created in TRAC) month and year. * Discharge Date (Month and Year) >= previous interviews' Interview Date's month and year.
DischargeStatus	J2	What is the consumer's discharge status?	text	2	Applies only at discharge (Assessment = 0699).	01 = Mutually agreed cessation of treatment 06 = Withdrew from/refused treatment 03 = No contact within 90 days of last encounter 04 = Clinically referred out 02 = Death 05 = Other (Specify) -1 = N/A	* This N/A code is not valid for data entry. It is for Data Download purposes only.	*If ConductedInterview = 1 then DischargeStatus cannot = 02 or 03.
OtherDischargeStatus	J2	Other discharge status specify response	text		Applies only at discharge (Assessment = 0699).	-1 = N/A	* Only asked if DischargeStatus is 05; otherwise set to -1. * This N/A code is not valid for data entry. It is for Data Download purposes only.	

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
K. SERVICES RECEIVED								
LastServiceDate	K1	On what date did the consumer last receive services? (Month and Year only)	text	7	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	Collected as MM/YYYY text format. Date entered will be converted to datetime with the day defaulted to the 15th. For MM: 01 - 12 = Jan - Dec 01/01/1869 = N/A	* LastServiceDate must be <= current date (month and year). * Year portion must be in 4 digit format. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	*LastServicesDate (Month and Year) >= FirstReceivedServicesDate (Month and Year). *If Assessment = 0602 to 0611 (Reassessment) and NoContact90Days = 1 (Yes), then LastServicesDate (Month and Year) > previous assessment's LastServicesDate (Month and Year) AND/OR > previous assessment's InterviewDate (Month and Year). *If Assessment = 0602 to 0611 (Reassessment) and NoContact90Days = 0 (No), then LastServicesDate (Month and Year) >= previous assessment's LastServicesDate (Month and Year) AND/OR >= previous assessment's InterviewDate (Month and Year). *If Assessment = 0699 (Discharge), then LastServicesDate (Month and Year) >= previous assessment's InterviewDate (Month and Year). *If InterviewConducted = 1 (Yes), then LastServicesDate (Month and Year) <= InterviewDate (Month and Year). *LastServicesDate (Month and Year) <= DischargeDate (Month and Year).
Svc_Screening	K1.1	Screening since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Assessment	K1.2	Assessment since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_TreatmentPlanning	K1.3	Treatment planning or review since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_Psychopharmacologic	K1.4	Psychopharmacological services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MentalHealth	K1.5	Mental Health Services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MentalHealthFreq_07	K1.5a_OL D	Frequency of Mental Health Services	integer	N/A	Retained for Data Download purposes, but no longer applies. Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (NextReassessment <> 3) and (SubmittedAtClinicalDischarge <>2).	1 = Daily 2 = Weekly 3 = Less than Monthly 4 = Monthly -1 = N/A	* Only asked if Svc_MentalHealth = 1; otherwise set to -1. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_MentalHealthFreq	K1.5a	Mental Health Services number of times received	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0-99 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked if Svc_MentalHealth = 1; otherwise set to -1. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_MH_FreqPeriod	K1.5b	Number of times per (Frequency period for number of times Mental Health Services were received)	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	1 = Day 2 = Week 3 = Month 4 = Year -2 = Unknown -1 = N/A -5 = NOT ASKED ON PREVIOUS NOMS TOOL	* Only asked if Svc_MentalHealth = 1; otherwise set to -1. * This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5. * This N/A code is not valid for data entry. It is for Data Download purposes only.	* Coded only for questions not asked on previous versions of the TRAC NOMs tools.
Svc_CoOccuring	K1.6	Co-occurring services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_CaseManagement	K1.7	Case Management since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_TraumaSpecific	K1.8	Trauma-specific services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ReferredCore	K1.9	Was the Consumer referred to another provider for any of the above core services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	* Note: No cross-check with core services.

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_MedicalCare	K2.1	Medical care services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Employment	K2.2	Employment services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Family	K2.3	Family services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ChildCare	K2.4	Child care services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Transportation	K2.5	Transportation services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	

NOMs Adult Client-level Measures (Services Activities) Codebook

Field Name	Question Number	Description	Data Type	Length	Validity	Value Descriptions	Edit and Skip Information	Crosscheck
Svc_Education	K2.6	Education services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_Housing	K2.7	Housing services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_SocialRecreational	K2.8	Social Recreational Activities since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ConsumerOperated	K2.9	Consumer Operated services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_HIVTesting	K2.10	HIV Testing services since last NOMs Interview?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -3 = Service Not Available -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	
Svc_ReferredSupport	K2.11	Was the Consumer referred to another provider for any of the above support services?	integer	N/A	Applies only at reassessment or discharge (Assessment = 0601 to 0699) and (WhyNotConducted = 1, 2 or 4).	0 = No 1 = Yes -2 = Unknown -1 = N/A	* This N/A code is valid for data entry only when Record Management Q2. ConductedInterview = 0 and WhyNotConducted = 3 or 5.	* Note: No cross-check with support services.